




701 WEST HENRY | INDY TELCOM CENTER

INDIANAPOLIS

Strategic Interconnection from the Core to the Edge



FACILITY OVERVIEW



INFRASTRUCTURE

- Ceiling heights (slab to slab): 15'
- Column spacing: 19' 6"
- Floor loading: 150 lbs/sf
- Freight elevators: N/A
- Fire suppression: Pre-action, dry-pipe
- Cable management: overhead ladder rack
- Outside the 500-year floodplain
- Network operations center (NOC): 8x5
- Building facility monitoring system

COLOCATION

- Carrier neutral, building owned and operated Meet-Me-Room (MMR)
- Three (3) diverse points of entry (POEs)

ELECTRICAL

- Utility: Diverse 12,470v feeders from SouthWest Substation
- Generator: N
- Fuel supply: 1,300 gal
- UPS system: N+1
- DC power distribution available

COOLING

- Cooling system capacity: 200 Tons (N+1)
- Type: Evaporator-Condensor loop
- Data room CRAC Units (N+1); cold-aisle containment
- Tonnage: 200 Tons (N+1)

SECURITY + COMPLIANCE

- Key card access throughout the entire facility
- Three Level Security
- SSAE SOC 1 Type 2
- SSAE SOC 2 Type 2
- HIPPA-Compliant
- PCI-Complicant cages available
- Video surveillance
- 24/7 access to authorized customer personnel via access list controlled
- Two (2) factor authentication for MMRs

SELECT SERVICE PROVIDERS

- | | | |
|-----------------------------|-----------------------------------|--------------------------------------|
| • Accord Telcom | • Great Plains Communications | • Peerless Network |
| • AWS | • InDigital | • Qwilt |
| • Arelion | • Intelligent Fiber Network (IFN) | • INTELECYN™ Powered by RTC |
| • Arelion Cloud Connect | • Lumen | • SCI REMC |
| • AT&T | • Lumen Cloud Connect | • Smithville Telecom |
| • Atlantic Metro | • Mainstream Fiber Networks | • TDS Telecommunications Corporation |
| • Broadway Broadband | • Mediacom Communications | • Uniti Fiber |
| • Charter Communications | • Megaport | • US Signal |
| • Cloudflare | • Meta | • Watch Communications |
| • CNI | • Metronet | • Windstream |
| • Cogent | • Middle Mile Infrastructure | • Zayo |
| • Comcast | • NET-IX | • Zayo CloudLink |
| • Crown Castle | | |
| • Everstream | | |
| • FD-IX Fiber Data Exchange | | |
| • Global Peer Exchange | | |

AMENITIES

- Conference rooms
- Secure on-site storage available
- Secure single-bay loading dock
- Free secure Wifi
- Parking available

CABINETS + CAGES

- Maximum cabinet height: 48RU
- Standard cabinet footprint: 24"w x 42"d
- Standard cabinet rails: 19"
- Cabinets available with 23" rails limited to cages for custom order
- Standard cage height: 7'
- Cage card readers available
- PCI-compliant Cages available

NETRALITY LOCATIONS



CHICAGO

717 SOUTH WELLS

HOUSTON

1301 FANNIN

KANSAS CITY METRO

1102 GRAND
KC2 – 7801 NIEMAN

PHILADELPHIA

401 NORTH BROAD

ST. LOUIS

210 NORTH TUCKER
900 WALNUT

INDY TELCOM CENTER

701 WEST HENRY
733 WEST HENRY



To learn more about Netrality,
email info@netrality.com or visit
WWW.NETRALITY.COM